

Of de hos Yarell novite
 In the vinstes til Bergens Museum
 Vol. I.

- | | | | |
|-----|----------------------------------|-------------------------------|--------|
| 1. | the Trusse, or porse, | <i>Acerina vulgaris</i> . | p. 18. |
| 2 | — Lesser Weaver, | <i>Trachinus vixera</i> | — 25. |
| 3 | — <i>Trigla cuculus</i> , | Eng. the red Gurnard | — 34. |
| 4. | — <i>Pycer</i> , | <i>Trigla lyra</i> | — 44. |
| 5 | — streaked Gurnard | — <i>lineata</i> | — 46. |
| 6 | — <i>Blotus</i> Gurnard | — <i>Blotii</i> | — 50. |
| 7 | the river bullhead | <i>Cottus gobio</i> | — 56. |
| 8. | — four-horned Cottus, | — <i>quadricornis</i> | — 68. |
| 9 | — rough-tailed Stickleback, | <i>Gasterosteus trachurus</i> | — 76. |
| 10 | — half-armed | — <i>semarmatus</i> | — 80. |
| 11 | — short-spined | — <i>brachycentrus</i> | — 82. |
| 12 | — four-spined | — <i>spinulosus</i> | — 83. |
| 13 | — <i>Pray's</i> bream | <i>Prama Pravi</i> | — 117. |
| 14 | the spotted Mackerel | <i>Scomber colias</i> | — 131. |
| 15 | — Pilot fish, | <i>Naucrates ductor</i> | — 144. |
| 16 | — Scad, or Horie Mackerel, | <i>Caranx trachurus</i> | — 154. |
| 17 | — Blackfish, | <i>Centrolophus pomycilus</i> | — 158. |
| 18 | — <i>Atherine</i> , or Sandmelt, | <i>Atherine presbyter</i> | — 214. |
| 19 | — <i>Montagu's</i> Blenny, | <i>Blennius montagu</i> | — 219. |
| 20. | the gallowinguis Blenny | — <i>gallowinguis</i> | — 226. |
| 21 | — crested Blenny. | — <i>psalmicornis</i> | — 233. |

		Page
22.	The Doubly-spotted Goby,	<i>Gobius bimaculatus</i> - 255.
23	— slender Goby,	— <i>gracilis</i> - 260.
24	— Comber Wrasse	{ <i>Labrus Comber</i> - 289.
25	— Goldfinny, or Goldrimny	— <i>Trenilabrus comubicus</i> - 296.
26	— Gibbous Wrasse,	— <i>gibbus</i> - 298.
27	— Drummet-fish, Sea-scorp,	— <i>Centrus scolopax</i> - 302.
28	— Gudgeon,	— <i>Gyrinus gobio</i> , } - 325. <i>Gobio flaviventris</i> }
29	— Graining,	— <i>Leuciscus Lancastriensis</i> - 333.
30	— Gyrine,	— <i>cyrenus</i> - 365.

Vol: II.

31.	— northern Charr,	— <i>Salmo umbla</i> - 65.
32	— Grayling,	— <i>Thymallus vulgaris</i> - 79.
33	— Guymal,	— <i>Doregonis fere</i> - 85.
34	— Vendace, or Vendis,	— <i>Willughbii</i> - 89.
35	— Pilchard,	— <i>Clupea Pilchardus</i> - 96.
36	— Leach's Herring,	— <i>Leachii</i> - 117.
37	The Whitebait,	— <i>alba</i> - 126.
38	— Alice Shad,	— <i>Allosa cornuta</i> - 136.
39	— poor or power Cod	— <i>Merluccia minuta</i> - 161.
40	— tree-bearded Rockling,	— <i>Mutilla vulgaris</i> - 186.
41	— five-bearded _____,	— <i>quinquecirrata</i> - 190.
42	— Mackerel Shidge,	— <i>glauca</i> - 193.
43	— Silvery Gad	— <i>argenteola</i> - 195.
44	— Sole, or Craig Fluke,	— <i>Platessa Sole</i> - 227.

	Page
45. The Sculpin fish,	Rhombus Arnoglossus — 254
46 — Lemon Sole —	Solea Pausa — 260.
47 — variegated Sole, —	Chenostomus linguatulus — 262
48 — Cornish Sucker —	Reynogaster Cornubiensis — 264.
49 — bimarulated Sucker —	Gimaculatus — 268.
50 Montagu's Sucking-fish —	Ejzaris Montagu — 277.
51. the Eel,	Anguilla mediorollis — 301.
52 — Anglesey Morris —	Reynoccephalus Morrisii — 311.
53 — burbleef Ophidium —	Ophidium imberbe — 314.
54 — Sand-Lance —	Ammodyle lancea — 322.
55 — Smooth Flound —	Mistelus loricatus — 393.
56 — fringed-lipped Lamprey —	Petromyzon Planeri — 457.
57 — Prude, and Sandprude, —	Ammocetes brantialis — 459.